NSN 5962-01-389-1172

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-389-1172

Body Length:
Between 0.130 inches and 0.185 inches
Body Outside Diameter:
Between 0.590 inches and 0.610 inches
Maximum Power Dissipation Rating:
2.1 watts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Electrostatic sensitive and high slew rate and monolithic
Inclosure Material:
Metal
Inclosure Configuration:
Can
Input Circuit Pattern:
2 input
Design Function And Quantity:
1 amplifier, wideband
Current Rating Per Characteristic:
100.00 milliamperes average forward current averaged over a full 60-hz cycle not applicable
Terminal Surface Treatment:
Gold
Product Name:
Wideband operational amplifier
Voltage Rating And Type Per Characteristic:
35.0 volts input/output differential
Precious Material And Location:
Terminal surfaces gold
Precious Material:
Gold
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
12 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

NSN 5962-01-389-1172

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0