NSN 5962-01-389-1172

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-389-1172

Body Length:

Between 0.130 inches and 0.185 inches

Body Outside Diameter:

Between 0.590 inches and 0.610 inches

Maximum Power Dissipation Rating:

2.1 watts

Operating Tempurature Range:

-55.0/+125.0 degrees celsius

Storage Tempurature Range:

-65.0/+150.0 degrees celsius

Features Provided:

Electrostatic sensitive and high slew rate and monolithic

Inclosure Material:

Metal

Inclosure Configuration:

Can

Input Circuit Pattern:

2 input

Design Function And Quantity:

1 amplifier, wideband

Current Rating Per Characteristic:

100.00 milliamperes average forward current averaged over a full 60-hz cycle not applicable

Terminal Surface Treatment:

Gold

Product Name:

Wideband operational amplifier

Voltage Rating And Type Per Characteristic:

35.0 volts input/output differential

Precious Material And Location:

Terminal surfaces gold

Precious Material:

Gold

Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

Terminal Type And Quantity:

12 pin

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

NSN 5962-01-389-1172

Linear Microcircuit - Page 2 of 2

Fiig: A458a0

