## NSN 5962-01-391-7976

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-391-7976

view Online at https://derobasegroup.com/nsi//3302-01-331-7370
Body Length:
Between 0.442 inches and 0.460 inches
Body Width:
Between 0.442 inches and 0.460 inches
Body Height:
Between 0.060 inches and 0.100 inches
Maximum Power Dissipation Rating:
1.0 watts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Burn in and electrostatic sensitive and programmable and radiation hardened and tested to mil-std-883
Inclosure Material:
Ceramic
Inclosure Configuration:
Leaded chip carrier
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
19 input
Design Function And Quantity:
3 timer, interval
Case Outline Source And Designator:
C-4 mil-m-38510
Terminal Surface Treatment:
Solder
Product Name:
Programmable interval timer
Voltage Rating And Type Per Characteristic:
8.0 volts power source
Nuclear Hardness Critical Feature:
Hardened
Supplementary Features:
W/chip carrier mounting device
Terminal Type And Quantity:
28 j-hook
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5962-01-391-7976

Digital Microcircuit - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A458a0