NSN 5962-01-393-8722

Memory Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-393-8722

Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Electrostatic sensitive
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Transistor-transistor logic
Terminal Surface Treatment:
Solder
Product Name:
2k x 9 fifo
Voltage Rating And Type Per Characteristic:
Voltage Rating And Type Per Characteristic: 7.0 volts power source
7.0 volts power source
7.0 volts power source Memory Device Type:
7.0 volts power source Memory Device Type: First-in first-out
7.0 volts power source Memory Device Type: First-in first-out Terminal Type And Quantity:
7.0 volts power source Memory Device Type: First-in first-out Terminal Type And Quantity: 28 printed circuit
7.0 volts power source Memory Device Type: First-in first-out Terminal Type And Quantity: 28 printed circuit Shelf Life:
7.0 volts power source Memory Device Type: First-in first-out Terminal Type And Quantity: 28 printed circuit Shelf Life: N/a
7.0 volts power source Memory Device Type: First-in first-out Terminal Type And Quantity: 28 printed circuit Shelf Life: N/a Unit Of Measure:
7.0 volts power source Memory Device Type: First-in first-out Terminal Type And Quantity: 28 printed circuit Shelf Life: N/a Unit Of Measure:
7.0 volts power source Memory Device Type: First-in first-out Terminal Type And Quantity: 28 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization:
7.0 volts power source Memory Device Type: First-in first-out Terminal Type And Quantity: 28 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli
7.0 volts power source Memory Device Type: First-in first-out Terminal Type And Quantity: 28 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: