NSN 5962-01-397-0212

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-397-0212

Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Electrostatic sensitive
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
N-type metal oxide-semiconductor logic
Design Function And Quantity:
1 receiver, asynchronous
Terminal Surface Treatment:
Solder
Product Name:
Product Name: Digital, dual asynchronous reciever/transmitter nmos, monolithic silicon.
Digital, dual asynchronous reciever/transmitter nmos, monolithic silicon.
Digital, dual asynchronous reciever/transmitter nmos, monolithic silicon. Voltage Rating And Type Per Characteristic:
Digital, dual asynchronous reciever/transmitter nmos, monolithic silicon. Voltage Rating And Type Per Characteristic: 6.0 volts power source
Digital, dual asynchronous reciever/transmitter nmos, monolithic silicon. Voltage Rating And Type Per Characteristic: 6.0 volts power source Terminal Type And Quantity:
Digital, dual asynchronous reciever/transmitter nmos, monolithic silicon. Voltage Rating And Type Per Characteristic: 6.0 volts power source Terminal Type And Quantity: 28 printed circuit
Digital, dual asynchronous reciever/transmitter nmos, monolithic silicon. Voltage Rating And Type Per Characteristic: 6.0 volts power source Terminal Type And Quantity: 28 printed circuit Shelf Life:
Digital, dual asynchronous reciever/transmitter nmos, monolithic silicon. Voltage Rating And Type Per Characteristic: 6.0 volts power source Terminal Type And Quantity: 28 printed circuit Shelf Life: N/a
Digital, dual asynchronous reciever/transmitter nmos, monolithic silicon. Voltage Rating And Type Per Characteristic: 6.0 volts power source Terminal Type And Quantity: 28 printed circuit Shelf Life: N/a Unit Of Measure:
Digital, dual asynchronous reciever/transmitter nmos, monolithic silicon. Voltage Rating And Type Per Characteristic: 6.0 volts power source Terminal Type And Quantity: 28 printed circuit Shelf Life: N/a Unit Of Measure:
Digital, dual asynchronous reciever/transmitter nmos, monolithic silicon. Voltage Rating And Type Per Characteristic: 6.0 volts power source Terminal Type And Quantity: 28 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization:
Digital, dual asynchronous reciever/transmitter nmos, monolithic silicon. Voltage Rating And Type Per Characteristic: 6.0 volts power source Terminal Type And Quantity: 28 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli
Digital, dual asynchronous reciever/transmitter nmos, monolithic silicon. Voltage Rating And Type Per Characteristic: 6.0 volts power source Terminal Type And Quantity: 28 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: