## NSN 5962-01-409-2697

Linear Microcircuit - Page 1 of 1

Fiig: A458a0



View Online at https://aerobasegroup.com/nsn/5962-01-409-2697 **Body Length:** Between 0.040 inches and 0.055 inches **Body Width:** Between 0.030 inches and 0.045 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Storage Tempurature Range:** -65.0/+150.0 degrees celsius **End Application:** Apn232, rdr transmitter **Features Provided:** Electrostatic sensitive and burn in and monolithic **Inclosure Material:** Silicon **Criticality Code Justification: Design Function And Quantity:** 1 amplifier, operational, general purpose **Current Rating Per Characteristic:** 2.30 milliamperes collector cutoff current, dc, with specified resistance between base and emitter absolute and 2.50 milliamperes reverse current, dc absolute **Product Name:** Microcircuit die, linear, operational amplifier, monolithic silicon Voltage Rating And Type Per Characteristic: 22.0 volts total supply **Special Features:** Esd; selected item, selected fromp/n Im741, all dices 100% testing for electrical characteristics **Test Data Document:** 96906-mil-std883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 1 case Shelf Life: N/a **Unit Of Measure:** Demilitarization: No