NSN 5962-01-410-8723

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-410-8723

view Online at https://aerobasegroup.com/nsn/5962-01-410-6725
Body Length:
Between 1.089 inches and 1.160 inches
Body Width:
Between 1.089 inches and 1.160 inches
Body Height:
Between 0.059 inches and 0.120 inches
Maximum Power Dissipation Rating:
1.5 watts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Electrostatic sensitive and 3-state output and w/clock and w/strobe
Inclosure Material:
Ceramic
Inclosure Configuration:
Pin grid array
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Design Function And Quantity:
1 control, interface
Current Rating Per Characteristic:
150.00 milliamperes average forward current averaged over a full 60-hz cycle not applicable
Terminal Surface Treatment:
Solder
Product Name:
Processor interface with system configuration inputs
Voltage Rating And Type Per Characteristic:
-0.5 volts power source and 7.0 volts power source
Capitance Rating Per Characteristic:
10.00 input picofarads
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
68 pin
Shelf Life:
N/a
Unit Of Measure:

Demilitarization: Yes - demil/mli

NSN 5962-01-410-8723

Digital Microcircuit - Page 2 of 2



Fiig:

A458a0