# NSN 5962-01-413-5236

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-413-5236

# **Body Length:**

Between 8.69 millimeters and 9.09 millimeters

# **Body Width:**

Between 8.69 millimeters and 9.09 millimeters

# **Body Height:**

Between 1.52 millimeters and 2.54 millimeters

# **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

# Storage Tempurature Range:

-65.0/+150.0 degrees celsius

# **Features Provided:**

High speed and low power

# **Inclosure Material:**

Ceramic

# Inclosure Configuration:

Leadless flat pack

# **Design Function And Quantity:**

2 amplifier, operational, general purpose

# **Terminal Surface Treatment:**

Solder

# Product Name:

Dual operational amplifier

# Voltage Rating And Type Per Characteristic:

-18.0 volts power source and 18.0 volts power source

# **Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

# **Terminal Type And Quantity:**

20 leadless

# Shelf Life:

N/a

# Unit Of Measure:

```
--
```

# Demilitarization:

Yes - demil/mli

Fiig:

A458a0