NSN 5962-01-421-4740

Memory Microcircuit - Page 1 of 1

Fiig: A458a0



View Online at https://aerobasegroup.com/nsn/5962-01-421-4740 **Body Length:** 0.460 inches **Body Width:** 0.460 inches **Body Height:** 0.100 inches **Maximum Power Dissipation Rating:** 1.0 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** Pacer dawn **Features Provided:** Electrostatic sensitive and programmable and synchronous and monolithic and burn in, mil-std-883, class b **Inclosure Configuration:** Leadless flat pack **Criticality Code Justification:** Cbbl **Case Outline Source And Designator:** C-4 mil-m-38510 **Product Name:** Microcircuit, programmed (cy7c330-40qmb) Voltage Rating And Type Per Characteristic: -0.5 volts power source and 7.0 volts power source and -3.0 volts input and 7.0 volts input **Memory Device Type:** Pal **Special Features:** Altered item programmed using 67268, 5962-89546023x (which is using programming instruction 7503972p2 **Terminal Type And Quantity:** 28 leadless Shelf Life: N/a **Unit Of Measure: Demilitarization:** No