# NSN 5962-01-425-1292

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-425-1292

## **Body Length:**

Between 1.080 inches and 1.120 inches

## **Body Width:**

Between 1.080 inches and 1.120 inches

## **Body Height:**

Between 0.072 inches and 0.088 inches

### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **End Application:**

F-16 acft

**Features Provided:** 

Burn in and monolithic and electrostatic sensitive

#### Inclosure Configuration:

Pin grid array

**Output Logic Form:** 

Complementary-metal oxide-semiconductor logic

## **Criticality Code Justification:**

Cbbl

### **Design Function And Quantity:**

Memory, programmable read only

# **Terminal Surface Treatment:**

Solder

#### **Product Name:**

Microcircuit, Isi encryption, u-hve

### Voltage Rating And Type Per Characteristic:

-0.5 volts power source and 7.0 volts power source

### Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

### Terminal Type And Quantity:

84 pin

Shelf Life:

N/a

#### Unit Of Measure:

---

# Demilitarization:

No

Fiig:

A458a0