NSN 5962-01-428-7794

Hybrid Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-428-7794

Operating Tempurature Range:
-54.0/+95.0 degrees celsius
Storage Tempurature Range:
-62.0/+95.0 degrees celsius
End Application:
Pacer dawn
Features Provided:
Electrostatic sensitive
Inclosure Configuration:
Can
Criticality Code Justification:
Cbbl
Design Function And Quantity:
1 amplifier, radio frequency
Product Name:
Hybrid radio frequency amplifier
Voltage Rating And Type Per Characteristic:
V15.0 with wire rope pounds per hour acc sensitivity
Hybrid Technology Type:
Hybrid Technology Type:
Hybrid Technology Type: Film
Hybrid Technology Type: Film Terminal Type And Quantity:
Hybrid Technology Type: Film Terminal Type And Quantity: 4 wire lead
Hybrid Technology Type: Film Terminal Type And Quantity: 4 wire lead Shelf Life:
Hybrid Technology Type: Film Terminal Type And Quantity: 4 wire lead Shelf Life: N/a
Hybrid Technology Type: Film Terminal Type And Quantity: 4 wire lead Shelf Life: N/a Unit Of Measure:
Hybrid Technology Type: Film Terminal Type And Quantity: 4 wire lead Shelf Life: N/a Unit Of Measure:
Hybrid Technology Type: Film Terminal Type And Quantity: 4 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization:
Hybrid Technology Type: Film Terminal Type And Quantity: 4 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No
Hybrid Technology Type: Film Terminal Type And Quantity: 4 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: