NSN 5962-01-435-5392

View Online at https://aerobasegroup.com/nsn/5962-01-435-5392

Digital Microcircuit - Page 1 of 2



Overall Length: 0.400 inches **Overall Height:** 0.174 inches Overall Width: 0.400 inches **Maximum Power Dissipation Rating:** 130.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** P/n 13213325-03 cage 27963, j-stars **Features Provided:** Monolithic and hermetically sealed and electrostatic sensitive **Inclosure Material:** Ceramic **Inclosure Configuration:** Leaded chip carrier **Output Logic Form:** Emitter-coupled logic **Input Circuit Pattern:** Quad 2 input **Design Function And Quantity:** 4 translator, ecl to ttl **Terminal Surface Treatment:** Solder **Product Name:** Microcircuit assembly **Voltage Rating And Type Per Characteristic:** 7.0 volts power source **Time Rating Per Chacteristic:** 7.00 nanoseconds propagation delay time, low to high level output and 7.00 nanoseconds propagation delay time, high to low level output **Special Features:** Altered item made from m38510/06302b2a and 20 each p/n 13212104-01 lead, chip carrier **Supplementary Features:**

20 gullwing Shelf Life:

Terminal Type And Quantity:

Lead style is leaf tap contact with rectangular fixed point

N/a

NSN 5962-01-435-5392

Digital Microcircuit - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A458a0