## NSN 5962-01-444-6129



Linear Microcircuit - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5962-01-444-6129 **Body Outside Diameter:** 0.230 inches **Body Height:** 0.150 inches **Maximum Power Dissipation Rating:** 125.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** 5998-01-426-5081 **Features Provided:** Hermetically sealed and burn in and low power and positive outputs **Inclosure Material:** Metal **Inclosure Configuration:** Can **Input Circuit Pattern:** 1 input **Design Function And Quantity:** 1 reference, voltage, analog **Terminal Surface Treatment:** Solder Voltage Rating And Type Per Characteristic: 1.2 volts power source **Time Rating Per Chacteristic:** 2500.00 nanoseconds propagation delay time, low to high level output and 2500.00 nanoseconds propagation delay time, high to low level output **Special Features:** 1.2 voltage reference **Nuclear Hardness Critical Feature:** Hardened **Terminal Type And Quantity:** 2 printed circuit Shelf Life: N/a **Unit Of Measure:** 

No Fiig:

A458a0

**Demilitarization:**