

View Online at <https://aerobasegroup.com/nsn/5962-01-449-9429>

**Body Length:**

0.785 inches

**Body Width:**

Between 0.220 inches and 0.310 inches

**Body Height:**

0.180 inches

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Storage Temperature Range:**

-65.0/+150.0 degrees celsius

**Features Provided:**

Hermetically sealed and monolithic and 3-state output and schottky

**Inclosure Material:**

Ceramic

**Inclosure Configuration:**

Dual-in-line

**Output Logic Form:**

Transistor-transistor logic

**Design Function And Quantity:**

2 selector, data, multiplexer

**Terminal Surface Treatment:**

Solder

**Product Name:**

Bipolar advanced, schottky ttl, dual multiplexer

**Voltage Rating And Type Per Characteristic:**

-4.5 volts power source and 5.0 volts power source

**Nuclear Hardness Critical Feature:**

Hardened

**Test Data Document:**

81349-mil-n-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Terminal Type And Quantity:**

16 printed circuit

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A458a0