NSN 5962-01-460-5486

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-460-5486

Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
Navigationsys e/i fscm 22915
Features Provided:
Electrostatic sensitive and monolithic and schottky and burn in, mil-std-883, class b and radiation hardened
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Complementary-oxidized-silicon logic
Design Function And Quantity:
2 flip-flop, d-type, clocked
Terminal Surface Treatment:
Solder
Product Name:
Microcircuit, digital, advanced schottsky logic, dual d-type flip-flop, monolithic silicon
Voltage Rating And Type Per Characteristic:
0.8 volts input and 2.0 volts input
Special Features:
Hardness critical process
Nuclear Hardness Critical Feature:
Hardened
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.)
Terminal Type And Quantity:
14 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A458a0