NSN 5962-01-463-3050

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-463-3050 **Body Length:** 1.250 inches **Body Width:** 0.310 inches **Body Height:** 0.185 inches **Maximum Power Dissipation Rating:** 1.2 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** C-130h advanced lighting cntrol system **Features Provided:** Monolithic and erasable and electrostatic sensitive and programmable **Inclosure Material:** Ceramic **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Complementary-metal oxide-semiconductor logic **Case Outline Source And Designator:** D-9 mil-m-38510 **Terminal Surface Treatment:** Solder **Product Name:** 22 input 10 output and-or-logic array Voltage Rating And Type Per Characteristic: 2.0 volts power source and 7.0 volts power source **Memory Device Type: Special Features:** Programmed palc22v10-30wmb **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 24 printed circuit Shelf Life: N/a

Unit Of Measure:

NSN 5962-01-463-3050

Memory Microcircuit - Page 2 of 2



Demilitarization:

No

Fiig:

A458a0