

View Online at <https://aerobasegroup.com/nsn/5962-01-463-3687>

**Maximum Power Dissipation Rating:**

1.0 watts

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Storage Temperature Range:**

-65.0/+150.0 degrees celsius

**End Application:**

An/aar-44sim e/i fscm 67268

**Features Provided:**

Electrostatic sensitive and monolithic and burn in, mil-std-883, class d

**Inclosure Configuration:**

Pin grid array

**Output Logic Form:**

Complementary-metal oxide-semiconductor logic

**Design Function And Quantity:**

1 memory, electrically erasable programmable rom

**Terminal Surface Treatment:**

Gold

**Product Name:**

Microcircuit, memory, digital, cmos 128k x 8 bit eeprom, monolithic silicon

**Voltage Rating And Type Per Characteristic:**

-0.5 volts input and 6.0 volts input

**Special Features:**

Access time: 250 ns, write speed: 10ms, endurance: 10,000 cycle, software data protect: yes

**Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufacturer standards, etc.).

**Terminal Type And Quantity:**

36 case

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A458a0