NSN 5962-01-464-2423

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-464-2423

Body Length:
Between 1.050 inches and 1.080 inches
Body Width:
Between 0.285 inches and 0.310 inches
Body Height:
Between 0.125 inches and 0.140 inches
Maximum Power Dissipation Rating:
1.0 watts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
6625-01-324-1523
Features Provided:
Electrostatic sensitive and high speed and low power and burn in, mil-std-883, class b
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Design Function And Quantity:
1 memory, static ram
Terminal Surface Treatment:
Solder
Product Name:
64k asynchronous spram
Voltage Rating And Type Per Characteristic:
-0.5 volts input and 0.5 volts input
Time Rating Per Chacteristic:
35.00 nanoseconds access
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
22 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

NSN 5962-01-464-2423

Digital Microcircuit - Page 2 of 2



Fiig:

A458a0