NSN 5962-01-464-4387

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-464-4387

Maximum Power Dissipation Rating:
500.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
A/f-18-dcn e/i fscm 07187
Features Provided:
Burn in, mil-std-883, class b
Inclosure Material:
Ceramic and glass
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Design Function And Quantity:
1 memory, static ram
Terminal Surface Treatment:
Solder
Product Name:
Microcircuit, digital-static ram, nonvolatile
Voltage Rating And Type Per Characteristic:
7.0 volts input
Special Features:
256 x 4, cmos, nonvolative, static ram/max access time - 150 ns
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
18 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A458a0