NSN 5962-01-464-6252

Hybrid Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-464-6252

| Body Length: |
|--|
| Between 1.150 inches and 1.162 inches |
| Body Width: |
| Between 0.570 inches and 0.580 inches |
| Body Height: |
| 0.170 inches |
| Maximum Power Dissipation Rating: |
| 1.45 watts |
| Operating Tempurature Range: |
| -45.6/+85.0 degrees celsius |
| Storage Tempurature Range: |
| -55.0/+150.0 degrees celsius |
| Features Provided: |
| Electrostatic sensitive and wideband and low power |
| Inclosure Configuration: |
| Flat pack |
| Design Function And Quantity: |
| 1 amplifier, radio frequency |
| Terminal Surface Treatment: |
| Solder |
| Product Name: |
| Microcircuit, substrate |
| Voltage Rating And Type Per Characteristic: |
| 14.5 volts input |
| Hybrid Technology Type: |
| Multichip |
| Special Features: |
| 12.5 db gain |
| Test Data Document: |
| 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). |
| Terminal Type And Quantity: |
| 10 flat leads |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |

Fiig:

A458a0