NSN 5962-01-464-9627

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-464-9627 **Body Length:** 1.280 inches **Body Width:** 0.310 inches **Body Height:** 0.200 inches **Maximum Power Dissipation Rating:** 440.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** E-3a; rsip ppl **Features Provided:** Low power and monolithic and schottky and bipolar and w/register output and 3-state output **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Bipolar metal-oxide semiconductor **Design Function And Quantity:** 1 shift register, serial in, serial out **Case Outline Source And Designator:** D-9 mil-m-38510 **Terminal Surface Treatment:** Solder **Product Name:** Microcircuits, digital, bipolar, low power schottky, 16-it serial in, serial out shift register, monolithic silicon **Voltage Rating And Type Per Characteristic:** -0.5 volts input and 7.0 volts input **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 24 printed circuit Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

Fiig: A458a0