## NSN 5962-01-465-6732



Digital Microcircuit - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5962-01-465-6732 **Body Length:** 0.405 inches **Body Width:** Between 0.220 inches and 0.310 inches **Body Height:** Between 0.015 inches and 0.060 inches **Maximum Power Dissipation Rating:** 500.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Storage Tempurature Range:** -65.0/+150.0 degrees celsius **End Application:** 13a6570-5 f15 **Features Provided:** High speed and hermetically sealed and monolithic **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Transistor-transistor logic **Design Function And Quantity:** 2 amplifier, operational, general purpose **Terminal Surface Treatment:** Solder **Product Name:** Dual precision, 500 ns settling, bifet op amp Voltage Rating And Type Per Characteristic: -11.0 volts input and 13.0 volts input **Special Features:** Mil-std-883b, rev. C. Testing available **Terminal Type And Quantity:** 8 printed circuit Shelf Life: N/a **Unit Of Measure: Demilitarization:** No Fiig:

A458a0

Mil-std (military Standard):

Mil-std-883 spec.