

View Online at <https://aerobasegroup.com/nsn/5962-01-466-4454>

**Body Length:**

Between 0.697 inches and 0.713 inches

**Body Width:**

Between 0.291 inches and 0.299 inches

**Body Height:**

Between 0.093 inches and 0.104 inches

**Maximum Power Dissipation Rating:**

1000.0 milliwatts

**Operating Temperature Range:**

+0.0/+70.0 degrees celsius

**Storage Temperature Range:**

-65.0/+150.0 degrees celsius

**End Application:**

Sea sparrow

**Features Provided:**

High speed and bipolar and w/switch and low noise

**Inclosure Material:**

Plastic

**Inclosure Configuration:**

Dual-in-line

**Design Function And Quantity:**

1 converter, digital to analog

**Terminal Surface Treatment:**

Solder

**Product Name:**

High speed 12-bit monolithic d/a converter

**Voltage Rating And Type Per Characteristic:**

-1.0 volts input and 7.0 volts input

**Special Features:**

Mil-std-883-compliant versions available

**Terminal Type And Quantity:**

28 gullwing

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A458a0

**Mil-std (military Standard):**

Mil-std-883 spec.