

View Online at <https://aerobasegroup.com/nsn/5962-01-467-8465>

**Maximum Power Dissipation Rating:**

725.0 milliwatts

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Storage Temperature Range:**

-65.0/+150.0 degrees celsius

**End Application:**

Aircraft, b-2 bomber

**Features Provided:**

Electrostatic sensitive and monolithic

**Inclosure Material:**

Ceramic

**Inclosure Configuration:**

Flat pack

**Output Logic Form:**

Complementary-metal oxide-semiconductor logic

**Design Function And Quantity:**

1 multiplexer/demultiplexer, cmos and 1 multiplexer/demultiplexer, analog

**Terminal Surface Treatment:**

Solder

**Product Name:**

Microcircuit, cmos, positive logic 8-channel analog multiplexers/demultiplexers, monolithic silicon

**Voltage Rating And Type Per Characteristic:**

-20.0 volts input and 20.0 volts input

**Precious Material:**

Gold

**Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Terminal Type And Quantity:**

16 leadless

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A458a0