## NSN 5962-01-475-0259

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-475-0259 **Body Length:** 1.259 millimeters **Body Width:** 1.259 millimeters **Body Height:** 0.1338 millimeters **Maximum Power Dissipation Rating:** 1.5 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** 1430-01-433-8025/command launch unit **Features Provided:** Electrostatic sensitive and burn in **Inclosure Configuration:** Flat pack **Output Logic Form:** Transistor-transistor logic and complementary-metal oxide-semiconductor logic **Criticality Code Justification:** Feat **Design Function And Quantity:** 1 schmitt trigger **Product Name:** Digital video reformatter (vr) application specific integrated circuit (asic) Voltage Rating And Type Per Characteristic: -0.5 volts input and 6.0 volts input **Special Features:** Hardness critical item **Nuclear Hardness Critical Feature:** Hardened **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 240 gullwing Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

Yes - demil/mli

## NSN 5962-01-475-0259

Digital Microcircuit - Page 2 of 2



Fiig:

A458a0