# NSN 5962-01-475-9109

Memory Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-475-9109

Body	Length:

0.460 millimeters

**Body Width:** 

0.460 millimeters

Body Height:

0.100 millimeters

**Maximum Power Dissipation Rating:** 

1.2 watts

**Operating Tempurature Range:** 

-55.0/+125.0 degrees celsius

Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **End Application:**

Exciter

**Features Provided:** 

Electrostatic sensitive and monolithic and programmed

#### **Inclosure Configuration:**

Leaded chip carrier

#### **Product Name:**

Microcircuit, programmed-pal

#### Voltage Rating And Type Per Characteristic:

-0.5 volts input and 7.0 volts input

### **Time Rating Per Chacteristic:**

15.00 nanoseconds acc/pac detector tint control

#### Memory Device Type:

Eprom

# **Special Features:**

Altered item/uses m38510/50804b3x - uses generic p/n palc22v10b-1

# Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

# Terminal Type And Quantity:

28 printed circuit

#### Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

Yes - demil/mli

Fiig:

A458a0