NSN 5962-01-475-9113

Memory Microcircuit - Page 1 of 1

Fiig: A458a0



View Online at https://aerobasegroup.com/nsn/5962-01-475-9113 **Body Length:** 0.460 millimeters **Body Width:** 0.460 millimeters **Body Height:** 0.100 millimeters **Maximum Power Dissipation Rating:** 1.2 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** Exciter **Features Provided:** Electrostatic sensitive and monolithic and programmed **Inclosure Configuration:** Leaded chip carrier **Product Name:** Microcircuit, programmed-pal Voltage Rating And Type Per Characteristic: -0.5 volts input and 7.0 volts input **Time Rating Per Chacteristic:** 15.00 nanoseconds acc/pac detector tint control **Memory Device Type: Eprom Special Features:** Altered item/uses m38510/50804b3x - uses generic p/n palc22v10b-1 **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 28 printed circuit Shelf Life: N/a **Unit Of Measure: Demilitarization:** Yes - demil/mli