# NSN 5962-01-477-4598

Memory Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-477-4598

#### **Body Length:**

0.625 inches

# Body Width:

0.375 inches

# **Maximum Power Dissipation Rating:**

1.02 watts

# **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

# **End Application:**

Low altitute navigation and targeting infrared system/lantirn

# **Features Provided:**

Electrostatic sensitive and monolithic and 3-state output and bipolar and schottky

# Inclosure Configuration:

Flat pack

# Product Name:

Microcircuits, digital, 16, 384 bit schottky, bipolar, programmable read-only memory (prom), monolithic silicon

# Voltage Rating And Type Per Characteristic:

-0.5 volts input and 7.0 volts input

# Memory Device Type:

Prom

#### **Special Features:**

Generic p/n 82s191

#### Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

#### **Terminal Type And Quantity:**

24 printed circuit

#### Shelf Life:

N/a

#### Unit Of Measure:

```
---
```

# Demilitarization:

Yes - demil/mli

Fiig:

A458a0