NSN 5962-01-479-7906

Linear Microcircuit - Page 1 of 2

Yes - demil/mli



View Online at https://aerobasegroup.com/nsn/5962-01-479-7906

Body Length:
Between 0.497 inches and 0.513 inches
Body Width:
Between 0.291 inches and 0.300 inches
Body Height:
Between 0.098 inches and 0.105 inches
Maximum Power Dissipation Rating:
0.5 watts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
Stv camera sy
Features Provided:
Electrostatic sensitive and 3-state output and high speed and low power
Inclosure Material:
Plastic
Inclosure Configuration:
Leaded chip carrier
Design Function And Quantity:
1 register, d-type
Terminal Surface Treatment:
Solder
Product Name:
8-bit registers
Voltage Rating And Type Per Characteristic:
-0.5 volts input and 7.0 volts input
Time Rating Per Chacteristic:
6.50 nanoseconds access
Special Features:
300-mil thickness
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.)
Terminal Type And Quantity:
20 gullwing
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

NSN 5962-01-479-7906

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0