NSN 5962-01-479-7906

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-479-7906

Body Length:

Between 0.497 inches and 0.513 inches

Body Width:

Between 0.291 inches and 0.300 inches

Body Height:

Between 0.098 inches and 0.105 inches

Maximum Power Dissipation Rating:

0.5 watts

Operating Tempurature Range:

-55.0/+125.0 degrees celsius

Storage Tempurature Range:

-65.0/+150.0 degrees celsius

End Application:

Stv camera sy

Features Provided:

Electrostatic sensitive and 3-state output and high speed and low power

Inclosure Material:

Plastic

Inclosure Configuration:

Leaded chip carrier

Design Function And Quantity:

1 register, d-type

Terminal Surface Treatment:

Solder

Product Name:

8-bit registers

Voltage Rating And Type Per Characteristic:

-0.5 volts input and 7.0 volts input

Time Rating Per Chacteristic:

6.50 nanoseconds access

Special Features:

300-mil thickness

Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

Terminal Type And Quantity:

20 gullwing

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

NSN 5962-01-479-7906

Linear Microcircuit - Page 2 of 2

Fiig: A458a0

