## NSN 5962-01-480-6746

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-480-6746

$\mathbf{p}$	4	 na	<b>د ماء</b>

Between 0.547 inches and 0.553 inches

**Body Width:** 

Between 0.447 inches and 0.453 inches

**Body Height:** 

Between 0.065 inches and 0.095 inches

**Operating Tempurature Range:** 

-40.0/+85.0 degrees celsius

**Storage Tempurature Range:** 

-65.0/+150.0 degrees celsius

**End Application:** 

Engine, aircraft f-100-pw-229 (f-15e, f-16 c/d)

**Features Provided:** 

Monolithic and electrostatic sensitive and synchronous and high speed and low power

**Inclosure Material:** 

Plastic

**Inclosure Configuration:** 

Leaded chip carrier

**Output Logic Form:** 

Complementary-metal oxide-semiconductor logic

**Design Function And Quantity:** 

1 flip-flop, clocked

**Terminal Surface Treatment:** 

Solder

**Product Name:** 

Microcircuit, digital, cmos, 512 x 9 synchronous fifo monolithic silicon

**Voltage Rating And Type Per Characteristic:** 

-0.5 volts input and 7.0 volts input

Time Rating Per Chacteristic:

20.00 nanoseconds access

**Special Features:** 

Circuit function: 512 x 9 clocked fifo

**Terminal Type And Quantity:** 

32 gullwing

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0