## NSN 5962-01-483-9199

Digital Microcircuit - Page 1 of 1

Yes - demil/mli

Fiig: A458a0



View Online at https://aerobasegroup.com/nsn/5962-01-483-9199 **Body Length:** 0.750 inches **Body Width:** 0.250 inches **Maximum Power Dissipation Rating:** 8.750 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Storage Tempurature Range:** -65.0/+150.0 degrees celsius **End Application:** 6625-01-324-1523/test station, electrical-electronic equipment **Features Provided:** Electrostatic sensitive and monolithic and low power **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Transistor-transistor logic **Design Function And Quantity:** 2 gate, and-or invert **Terminal Surface Treatment:** Solder **Product Name:** Microcircuits, digital, ttl, low power, and-or-invert gates monolithic silicon Voltage Rating And Type Per Characteristic: -0.5 volts input and 7.0 volts input **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 14 printed circuit Shelf Life: N/a **Unit Of Measure: Demilitarization:**