# NSN 5962-01-485-0492

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-485-0492

## **Body Length:**

Between 0.497 inches and 0.513 inches

## Body Width:

Between 0.291 inches and 0.300 inches

# **Body Height:**

Between 0.092 inches and 0.105 inches

## **Maximum Power Dissipation Rating:**

750.0 milliwatts

## **Operating Tempurature Range:**

+0.0/+70.0 degrees celsius

## Storage Tempurature Range:

-65.0/+150.0 degrees celsius

## **End Application:**

Air combat maneuvering instrumentation

## **Features Provided:**

Synchronous and w/clock and 3-state output and programmable

## Inclosure Configuration:

Dual-in-line

Output Logic Form:

Complementary-metal oxide-semiconductor logic

# **Design Function And Quantity:**

1 generator, clock

# **Terminal Surface Treatment:**

Solder

## **Product Name:**

Three-pll clock generator

## Voltage Rating And Type Per Characteristic:

-0.5 volts power source and 7.0 volts power source

## **Special Features:**

Internal rom tables use eprom technology

## **Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

## Terminal Type And Quantity:

20 gullwing

#### Shelf Life:

N/a

## Unit Of Measure:

--

### Demilitarization:

Yes - demil/mli

# Fiig:

A458a0