NSN 5962-01-488-5703

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-488-5703

Maximum Power Dissipation Rating:
680.0 milliwatts
Operating Tempurature Range:
+0.0/+70.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Low power
Inclosure Material:
Plastic
Inclosure Configuration:
Dual-in-line
Input Circuit Pattern:
Dual 2 input
Design Function And Quantity:
2 amplifier, operational, linear
Tamain at Ourface Tracture of
Terminal Surface Treatment:
Solder
Solder
Solder Voltage Rating And Type Per Characteristic:
Solder Voltage Rating And Type Per Characteristic: 18.0 volts power source
Solder Voltage Rating And Type Per Characteristic: 18.0 volts power source Terminal Type And Quantity:
Solder Voltage Rating And Type Per Characteristic: 18.0 volts power source Terminal Type And Quantity: 8 printed circuit
Solder Voltage Rating And Type Per Characteristic: 18.0 volts power source Terminal Type And Quantity: 8 printed circuit Shelf Life:
Solder Voltage Rating And Type Per Characteristic: 18.0 volts power source Terminal Type And Quantity: 8 printed circuit Shelf Life: N/a
Solder Voltage Rating And Type Per Characteristic: 18.0 volts power source Terminal Type And Quantity: 8 printed circuit Shelf Life: N/a
Solder Voltage Rating And Type Per Characteristic: 18.0 volts power source Terminal Type And Quantity: 8 printed circuit Shelf Life: N/a Unit Of Measure:
Solder Voltage Rating And Type Per Characteristic: 18.0 volts power source Terminal Type And Quantity: 8 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization:
Solder Voltage Rating And Type Per Characteristic: 18.0 volts power source Terminal Type And Quantity: 8 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli
Solder Voltage Rating And Type Per Characteristic: 18.0 volts power source Terminal Type And Quantity: 8 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: