

View Online at <https://aerobasegroup.com/nsn/5962-01-501-6907>

**Maximum Power Dissipation Rating:**

1.2 watts

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Storage Temperature Range:**

-65.0/+150.0 degrees celsius

**Features Provided:**

Electrostatic sensitive and monolithic and compatible cmos and erasable and programmable

**Inclosure Material:**

Ceramic and glass

**Inclosure Configuration:**

Dual-in-line

**Product Name:**

Microcircuit, memory, digital, cmos, uv erasable programmable logic array, monolithic silicon

**Voltage Rating And Type Per Characteristic:**

-0.5 volts input and 7.0 volts input

**Time Rating Per Characteristic:**

30.00 nanoseconds af output megawatts

**Memory Device Type:**

Pal

**Special Features:**

Generic p/n v2500bql/lid shall be transparent tp permit ultraviolet light erasure

**Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Terminal Type And Quantity:**

40 printed circuit

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A458a0