NSN 5962-01-502-3750

Hybrid Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-502-3750 **Body Length:** 1.075 inches **Body Outside Diameter:** 1.075 inches **Body Height:** 0.270 inches **Maximum Power Dissipation Rating:** 3.1 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** Nuclear power plants **Features Provided:** Electrostatic sensitive **Inclosure Configuration:** Dual-in-line **Design Function And Quantity:** 1 converter, dc **Terminal Surface Treatment:** Solder **Product Name:** Microcircuit, hybrid, linear, 12-volt, single channel, dc-dc converter Voltage Rating And Type Per Characteristic: -0.5 volts input and 50.5 volts input **Hybrid Technology Type:** Monolithic **Special Features:** Generic p/n - msa2812s/883 & mga2812s **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 84 pin Shelf Life: N/a **Unit Of Measure: Demilitarization:** Yes - demil/mli

Fiig:

A458a0