NSN 5962-01-509-8540

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-509-8540

Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Inclosure Material:
Plastic and glass
Inclosure Configuration:
Dual-in-line
Design Function And Quantity:
1 converter, analog to digital
Terminal Surface Treatment:
Solder
Product Name:
Microcircuit, linear, dual serial-input, voltage output, 12-bit multiplying digital-to analog converter, monolithic silicon
Voltage Rating And Type Per Characteristic:
-0.5 volts input and 7.0 volts input
Special Features:
Generic p/n max532a
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). Terminal Type And Quantity:
Terminal Type And Quantity:
Terminal Type And Quantity: 16 printed circuit
Terminal Type And Quantity: 16 printed circuit Shelf Life:
Terminal Type And Quantity: 16 printed circuit Shelf Life: N/a
Terminal Type And Quantity: 16 printed circuit Shelf Life: N/a
Terminal Type And Quantity: 16 printed circuit Shelf Life: N/a Unit Of Measure:
Terminal Type And Quantity: 16 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization:
Terminal Type And Quantity: 16 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli
Terminal Type And Quantity: 16 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: