NSN 5962-01-518-6787

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-518-6787
Body Length:
Between 2.800 inches and 3.000 inches
Body Width:
Between 1.500 inches and 1.750 inches
Body Height:
Between 0.900 inches and 1.300 inches
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
End Application:
C-17a
Features Provided:
Electrostatic sensitive and low noise and low power and selected item
Inclosure Material:
Plastic
Inclosure Configuration:
Dual-in-line
Criticality Code Justification:
Cbbl
Design Function And Quantity:
1 regulator, voltage, dc
Case Outline Source And Designator:
Sot23 joint electron device engineering council
Product Name:
Microcircuit, plastic encapsulated (surface mount) procurement and selection requirements (for regulator).
Voltage Rating And Type Per Characteristic:
-20.0 volts absolute input and 20.0 volts absolute input and -20.0 volts input/output differential and 3.3 volts output
Special Features:
Lt1761 series 100 milliamp, low noise, Ido micropower regulators in sot-23
Special Test Features:
Ulinear technology p/n lt1761es5-3.3 1oo percent upscreened per para.3.1.1 of dwg 89954-356a1407 by approved test facility, pikes peak
test labs, inc. Or sypris test and measurement for operation in temperatures of -55c to +125c.
Test Data Document:
89954-356a1407 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
5 gullwing
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Fiig: A458a0

Yes - demil/mli