NSN 5962-01-518-8393

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-518-8393 **Body Length:** 10.0 millimeters **Body Width:** 10.0 millimeters **Body Height:** 1.0 millimeters **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **End Application:** C-17a aircraft alarm-monitor group **Features Provided:** Electrostatic sensitive and programmable and low power **Inclosure Material: Plastic Inclosure Configuration:** Flat pack **Output Logic Form:** Complementary-metal oxide-semiconductor logic **Criticality Code Justification:** Cbbl **Design Function And Quantity:** 1 array, diode **Terminal Surface Treatment:** Solder **Product Name:** Microcircuit, plastic encapsulated (surface mount)procurement and selection reuquirement (for cpld) **Voltage Rating And Type Per Characteristic:** 3.3 volts power source **Special Features:** Macrocell cpld w/ 1500 usable gates in four function blocks and 36 input/output pins **Special Test Features:** 100% upscreened per para.3.1.1 of dwg 89954-356a1407 by an approved testfacility for operation through temperatures of -ffc to +125c. **Test Data Document:** 89954-356a1407 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 44 gullwing Shelf Life: N/a **Unit Of Measure:**

Demilitarization: Yes - demil/mli

NSN 5962-01-518-8393

Digital Microcircuit - Page 2 of 2



Fiig:

A458a0