NSN 5962-01-520-5163

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-520-5163
Body Length:
Between 0.337 inches and 0.344 inches
Body Width:
Between 0.150 inches and 0.157 inches
Body Height:
Between 0.059 inches and 0.065 inches
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
C-17a aircraft
Features Provided:
Electrostatic sensitive
Inclosure Material:
Plastic
Inclosure Configuration:
Dual-in-line Dual-in-line
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Criticality Code Justification:
Cbbl
Design Function And Quantity:
4 gate, and
Product Name:
Microcircuit, digital plastic encapsulated, quadruple 2-input postive-and gates
Voltage Rating And Type Per Characteristic:
-0.5 volts power source and 7.0 volts power source
Time Rating Per Chacteristic:
10.00 nanoseconds propagation delay
Special Test Features:
Upscreening testing consisting of extended temperature range testing
Test Data Document:
89954-356a1407 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
14 gullwing
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

Yes - demil/mli

NSN 5962-01-520-5163

Digital Microcircuit - Page 2 of 2



Fiig:

A458a0