## NSN 5962-01-526-9999

Linear Microcircuit - Page 1 of 2



view Online at https://aerobasegroup.com/hsh/5962-01-526-9999
Body Length:
Between 0.398 inches and 0.413 inches
Body Width:
Between 0.291 inches and 0.299 inches
Body Height:
Between 0.081 inches and 0.100 inches
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
C-17 aircraft
Features Provided:
Electrostatic sensitive and low drift and selected item
Inclosure Material:
Plastic
Inclosure Configuration:
Dual-in-line
Input Circuit Pattern:
2 input
Design Function And Quantity:
1 amplifier, instrumentation
Current Rating Per Characteristic:
16.00 milliamperes reverse current, dc absolute
Terminal Surface Treatment:
Solder
Product Name:
Microcircuit, linear, isstrument amplifier, plastic encapsulaated surface mount
Voltage Rating And Type Per Characteristic:
18.0 volts power source
Special Test Features:
Upscreening testing consisting of extended temperature range testing of pem from -55 to 125 degrees celsius
Test Data Document:
89954-356a1407 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
16 gullwing
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

Yes - demil/mli

## NSN 5962-01-526-9999

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0