# NSN 5962-01-531-6607

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-531-6607

# **Body Length:**

Between 0.496 inches and 0.512 inches

# **Body Width:**

Between 0.291 inches and 0.299 inches

# **Body Height:**

Between 0.092 inches and 0.100 inches

## **Operating Tempurature Range:**

-40.0/+85.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **End Application:**

C-17a aircraft

## Features Provided:

Electrostatic sensitive and 3-state output and asynchronous and bidirectional

#### Inclosure Material:

Plastic

## Inclosure Configuration:

Dual-in-line

## **Output Logic Form:**

Bipolar metal-oxide semiconductor

# **Design Function And Quantity:**

8 transceiver and 8 driver, line

#### **Product Name:**

Octal transceivers and line/memory drivers with three state outputs

## Voltage Rating And Type Per Characteristic:

-0.5 volts power source and 7.0 volts power source

## Capitance Rating Per Characteristic:

3.00 input pascal industrial factory select and 6.00 output pascal industrial factory select

## Time Rating Per Chacteristic:

4.50 nanoseconds propagation delay time, high to low level output and 3.80 nanoseconds propagation delay time, low to high level output

#### Special Features:

8 bit data path

## **Terminal Type And Quantity:**

20 gullwing

#### Shelf Life:

N/a

# Unit Of Measure:

--

# Demilitarization:

Yes - demil/mli

# Fiig:

A458a0