## NSN 5962-01-612-7732

Digital Microcircuit - Page 1 of 2

Between 1.4 millimeters and 1.8 millimeters

**Overall Height:** 



View Online at https://aerobasegroup.com/nsn/5962-01-612-7732

Overall width:
6.0 millimeters
Body Length:
4.9 millimeters
Body Width:
Between 4.3 millimeters and 4.5 millimeters
Body Height:
1.45 millimeters
Maximum Power Dissipation Rating:
1025.0 milliwatts
Operating Tempurature Range:
-40.0 to 85.0 degrees celsius
Storage Tempurature Range:
-65.0 to 150.0 degrees celsius
End Application:
Ghawk asip
Inclosure Material:
Plastic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Emitter-coupled logic
Design Function And Quantity:
2 receiver
Case Outline Source And Designator:
Mo8a joint electron device engineering council
Terminal Surface Treatment:
Solder
Product Name:
Dual low voltage differential signaling (lvds) receiver
Voltage Rating And Type Per Characteristic:
-0.3 volts input and 6.0 volts input
Special Features:
Item sold in reels
Terminal Type And Quantity:
8 gullwing
Shelf Life:
N/a
Unit Of Measure:
<u></u>

## NSN 5962-01-612-7732

Digital Microcircuit - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A458a0