## NSN 5962-01-625-9269



Linear Microcircuit - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5962-01-625-9269 **Overall Length:** 0.236 inches **Body Length:** 0.153 inches **Body Width:** 0.193 inches **Body Height:** 0.069 inches **Maximum Power Dissipation Rating:** 424.0 milliwatts **Operating Tempurature Range:** -40.0 to 85.0 degrees celsius Storage Tempurature Range: -65.0 to 150.0 degrees celsius **Features Provided:** Electrostatic sensitive and w/bent leads **Inclosure Material:** Plastic **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 2 input **Design Function And Quantity:** 2 monitor, voltage **Current Rating Per Characteristic:** 15.0 microamperes supply **Product Name:** Dual processor supervisory circuit with power fail Voltage Rating And Type Per Characteristic: 7.0 volts total supply **Capitance Rating Per Characteristic:** 10.0 input picofarads **Time Rating Per Chacteristic:** 5.0 microseconds propagation delay time, high to low level output **Special Features:** Rohs compliant **Precious Material And Location:** Contacts gold

**Precious Material:** Gold

**Terminal Type And Quantity:** 

8 gullwing

## NSN 5962-01-625-9269

Linear Microcircuit - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0