NSN 5962-01-626-8466

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-626-8466

Body Length:

Between 0.071 inches and 0.087 inches

Body Width:

Between 0.079 inches and 0.087 inches

liidiameter:

Between 0.031 inches and 0.043 inches

Maximum Power Dissipation Rating:

200.0 milliwatts

Operating Tempurature Range:

-55.0 to 125.0 degrees celsius

Storage Tempurature Range:

-65.0 to 150.0 degrees celsius

Features Provided:

Compatible cmos and high speed

Inclosure Material:

Plastic and ceramic

Inclosure Configuration:

Dual-in-line

Output Logic Form:

Complementary-metal oxide-semiconductor logic

Input Circuit Pattern:

1 input

Design Function And Quantity:

1 buffer, noninverting and 1 shifter, logic level

Current Rating Per Characteristic:

50.0 milliamperes total supply

Terminal Surface Treatment:

Tin

Product Name:

Noninverting buffer, cmos logic shifter

Voltage Rating And Type Per Characteristic:

1.6 volts total supply and 5.0 volts total supply

Capitance Rating Per Characteristic:

10.0 input picofarads

Time Rating Per Chacteristic:

13.5 nanoseconds propagation delay

Special Features:

Lead finish on terminals

Terminal Type And Quantity:

6 gullwing

Shelf Life:

N/a

NSN 5962-01-626-8466

Digital Microcircuit - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0