NSN 5962-01-632-7286

Digital Microcircuit - Page 1 of 1



962-01-632-7286

| View Online at https://aerobasegroup.com/nsn/59 |
|---|
| Body Length: |
| Between 4.9 millimeters and 5.1 millimeters |
| Body Width: |
| Between 4.3 millimeters and 4.5 millimeters |
| Body Height: |
| 1.2 millimeters |
| Operating Tempurature Range: |
| -55.0 to 125.0 degrees celsius |
| Storage Tempurature Range: |
| -65.0 to 150.0 degrees celsius |
| Features Provided: |
| Low voltage |
| Inclosure Configuration: |
| Dual-in-line |
| Output Logic Form: |
| Complementary-metal oxide-semiconductor logic |
| Design Function And Quantity: |
| 6 inverter |
| Current Rating Per Characteristic: |
| 24.0 microamperes output |
| Product Name: |
| Low-voltage cmos hex inverter |
| Voltage Rating And Type Per Characteristic: |
| 2.0 volts total supply and 5.5 volts total supply |
| Capitance Rating Per Characteristic: |
| 7.0 input picofarads |
| Special Features: |
| Lead free; 2500 tape and reel |
| Terminal Type And Quantity: |
| 14 gullwing |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |

Fiig:

A458a0