NSN 5962-01-642-2563

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-642-2563 liilength: 6.90 millimeters liiheight: 1.20 millimeters liiwidth: 7.1 millimeters **Operating Tempurature Range:** -40.0 to 85.0 degrees celsius **Storage Tempurature Range:** -65.0 to 150.0 degrees celsius **Features Provided:** Electrostatic sensitive and 3-state output **Inclosure Material: Plastic Inclosure Configuration:** Quad-in-line **Output Logic Form:** Transistor-transistor logic **Design Function And Quantity:** 1 transceiver **Terminal Surface Treatment:** Nickel and gold and tin **Product Name:** Octal bus transceiver with 2 state output Voltage Rating And Type Per Characteristic: 5.5 volts total supply **Time Rating Per Chacteristic:** 15.9 nanoseconds propagation delay **Special Features:** Rohs compliant, free of pb, bromine and antimony flame based retardants; terminals also contain copper and tin; **Precious Material And Location:** Leads gold and leads palladium **Precious Material:** Gold and palladium **Terminal Type And Quantity:** 20 pin Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5962-01-642-2563

Digital Microcircuit - Page 2 of 2



Fiig:

A458a0