

View Online at <https://aerobasegroup.com/nsn/5963-00-337-0780>

Overall Length:

2.000 inches

Overall Height:

0.750 inches

Overall Width:

2.000 inches

Environmental Protection:

Fungus proof and moisture proof

Vibration Resistance Range In Hertz:

+5.0 to 2000.0

Vibration Resistance Amplitude:

10.0 gravitational units

Shock Resistance Rating In Gravitational Units:

40.0

Operating Temperature Range:

-40.0 to 71.0 degrees celsius

Average Life Measurement:

Not rated

Basic Shape Style:

Rectangular or square

Maximum Operating Altitude Rating:

30000.0 feet

Inclosure Type:

Encased

Operating Control Method:

Automatic

Installation Design:

Mechanical

Circuit Construction Type:

Solid state

Frequency Per Channel:

727.0 hertz operating channel

Attenuation In Decibels:

Not rated

Average Power Rating Per Channel:

Not rated

Signal Voltage Rating Per Channel:

5.000 volts output

Overall Gain:

Not rated

Impedance Rating Per Channel:

Not rated

Indicator Device Type And Quantity:

Any acceptable

Maximum Continuous Operating Time In Hours:

Not rated

Shock Pulse Duration Time:

11.0 milliseconds

Connection Type And Location:

Printed circuit bottom

Connection Contact Type And Quantity:

4 printed circuit external

External Dc Operating Voltage In Volts:

5.0 single voltage

Fsc Application Data:

Receiving set, countermeasures

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A32200