Standardized Electronic Module - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5963-00-412-6781

| Overall Length: |
|---|
| 2.620 inches |
| Overall Height: |
| 0.290 inches |
| Overall Width: |
| 1.950 inches |
| Environmental Protection: |
| Salt spray resistant and vibration |
| Operating Tempurature Range: |
| +0.0 to 85.0 degrees celsius |
| Average Life Rating: |
| 500.0 |
| Storage Tempurature Range: |
| -62.0 to 125.0 degrees celsius |
| Average Life Measurement: |
| Hours |
| Average Life Rating In Hours: |
| 500.0 |
| Basic Shape Style: |
| Rectangular or square |
| Inclosure Type: |
| Encased |
| Operating Control Method: |
| Automatic |
| Installation Design: |
| Module |
| Control Type: |
| Remote |
| Circuit Construction Type: |
| Solid state |
| Signal Data Type Per Channel: |
| Operating channel discrete voltage |
| Connection Type And Location: |
| Connector, plug bottom |
| Connection Contact Type And Quantity: |
| 1 connector, plug external |
| External Dc Operating Voltage In Volts: |
| 35.0 single voltage |
| Special Features: |
| Key code ulz |
| Special Markings: |
| Capacitor-resistor, hybrid |
| |

Standardized Electronic Module - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200