

View Online at https://aerobasegroup.com/nsn/5963-00-514-2261

View Online at https://aerobasegroup.com/nsn/596
Overall Length:
2.620 inches
Overall Height:
0.290 inches
Overall Width:
1.950 inches
Environmental Protection:
Salt spray resistant and vibration
Individual Section Quantity:
2
Operating Tempurature Range:
+0.0 to 60.0 degrees celsius
Average Life Rating:
500.0
Storage Tempurature Range:
-62.0 to 125.0 degrees celsius
Average Life Measurement:
Hours
Average Life Rating In Hours:
500.0
Basic Shape Style:
Rectangular or square
Inclosure Type:
Encased
Operating Control Method:
Automatic
Installation Design:
Module
Control Type:
Remote
Circuit Construction Type:
Solid state
Frequency Per Channel:
Signal Voltage Rating Per Channel:
1.000 volts output
Impedance Rating Per Channel:
3.200 kilohms 1st operating channel
Signal Data Type Per Channel:
2nd output channel analog voltage

Connection Type And Location:

Connector, plug bottom



Connection Contact Type And Quantity:

1 connector, plug external

External Dc Operating Voltage In Volts:

15.0 2nd voltage

Special Features:

Key code lee

Special Markings:

Amplifier, phase shift, analog

Test Data Document:

81349-mil-m-28787 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-m-28787/221 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200